

16°

SET

0

1

0

1

lineaVINITALY



Aishwarya Consolidates Pvt. Ltd.,

#19, Frist Floor, 10th 'B' Main, 27th Cross,
Third Block Jayanagar, BANGALORE – 560 011, INDIA

Tel: +91-80-2664 1200/1/2 Fax: +91-80-2664 1204

E-mail : aishtek@vsnl.com www.aishwaryaconsolidates.com

UNA LINEA ESSENZIALE, UNA TECNOLOGIA AVANZATA INDISPENSABILE PER L'INVECCHIAMENTO ED IL SERVIZIO DEL VINO ALLA GIUSTA TEMPERATURA.
 A SLEEK LOOK, CUTTING-EDGE TECHNOLOGY, ESSENTIAL TO AGE AND SERVE WINE AT THE RIGHT TEMPERATURE.



C 150




MODEL IN THE PICTURE:
CF - BLACK

ALSO AVAILABLE:
W - WINE RED



C 300




MODEL IN THE PICTURE:
CF - BLACK

ALSO AVAILABLE:
W - WINE RED



C 400




MODEL IN THE PICTURE:
CF - BLACK

ALSO AVAILABLE:
W - WINE RED



C 500



MODEL IN THE PICTURE:
CF - BLACK

ALSO AVAILABLE:
W - WINE RED



C 600



MODEL IN THE PICTURE:
CF - BLACK
2 INDEPENDENT CELLS

ALSO AVAILABLE:
W - WINE RED

PORTA A DOPPIO VETRO, CRISTALLO TEMPERATO ANTI RAGGI UV. PER PROTEGGERE I VINI DALLA LUCE.
 DOUBLE-GLASS DOOR IN UV-PROOF HARDENED CRYSTAL TO PROTECT WINE FROM LIGHT.



C 151




MODEL IN THE PICTURE:
 CF - BLACK

ALSO AVAILABLE:
 W - WINE RED



C 301




MODEL IN THE PICTURE:
 CF - BLACK

ALSO AVAILABLE:
 W - WINE RED



C 401




MODEL IN THE PICTURE:
 CF - BLACK

ALSO AVAILABLE:
 W - WINE RED



C 501



MODEL IN THE PICTURE:
CF - BLACK

ALSO AVAILABLE:
W - WINE RED




Ripiani regolabili - *Adjustable shelves*

COMBI – DOPPIO COMPRESSORE: DUE ZONE SEPARATE CON TEMPERATURE INDIPENDENTI. PERMETTE DI ORGANIZZARE AL MEGLIO LE DIVERSE ESIGENZE DI CONSERVAZIONE E SERVIZIO.
 COMBI – DOUBLE COMPRESSOR: TWO SEPARATE AREAS WITH INDIPENDENT TEMPERATURE CONTROL. FOR OPTIMUM ORGANISATION OF ANY STORAGE AND SERVING STYLE.



C 402



MODEL IN THE PICTURE:
 CF - BLACK
 2 INDEPENDENT CELLS

ALSO AVAILABLE:
 W - WINE RED



C 601



MODEL IN THE PICTURE:
 CF - BLACK
 2 INDEPENDENT CELLS

ALSO AVAILABLE:
 W - WINE RED

PORTE SCORREVOLI – LA SOLUZIONE PIU' FUNZIONALE GRAZIE AGLI INGOMBRI RIDOTTI.
 SLIDING DOORS – THE MOST PRATICAL SOLUTION WHEN SPACE IS A PROBLEM.



C 2501



MODEL IN THE PICTURE:
 CF - BLACK
 2 INDIPENDENT CELLS



C 2501 X




MODEL IN THE PICTURE:
 X - STAINLESS STEEL
 2 INDIPENDENT CELLS

VERSIONE INOX: QUALITÀ E STILE.
 STAINLESS STEEL VERSION: QUALITY AND STYLE.




C 151 X



MODEL IN THE PICTURE:
 X - STAINLESS STEEL




C 301 X



MODEL IN THE PICTURE:
 X - STAINLESS STEEL




C 501 X



MODEL IN THE PICTURE:
 X - STAINLESS STEEL



C 601 X



MODEL IN THE PICTURE:
 X - STAINLESS STEEL
 2 INDEPENDENT CELLS



Luce al neon interna - *Internal neon light*



Dettaglio della serratura - *Lock details*

FRANÇAIS	ESPAÑOL	DEUTSCH	ENGLISH	ITALIANO
VERSION ARMOIRES A VIN	VERSIONES DISPONIBLES	VERSION	VERSION AVAILABLE	VERSIONI DISPONIBILI
U - VERSION À TEMPÉRATURE UNIQUE	U - VERSIÓN UNA TEMPERATURA	U - MONO - LAGERSCHRÄNKE	U - MONO VERSION	U - MONOTEMPERATURA
M - VERSION PLUSIERS TEMPÉRATURE	M - VERSIÓN VARIAS TEMPERATURAS	M - MULTI - TEMPERIERSCHRÄNKE	M - MULTI VERSION	M - MULTITEMPERATURA
D - VERSION DOUBLE TEMPÉRATURE	D - VERSIÓN DOS TEMPERATURAS	D - DUAL - ZWEIFONENSCHRÄNKE	D - DUAL VERSION	D - DUAL
CAPACITE' - BOUTEILLES 750 ml	NO. DE BOTELLAS DE 750 ml	KAPAZITÄT - FLASCHEN 750 ml	CAPACITY FOR 750 ml BOTTLES	CAPACITÀ BOTTIGLIE 750 ml
DUAL - ZONA SUPÉRIEURE	DUAL - ZONA SUPERIOR	DUAL - OBERE BEREICH	DUAL - UPPER ZONE	DUAL - ZONA SUPERIORE
DUAL - ZONA INFÉRIEURE	DUAL - ZONA INFERIOR	DUAL - UNTERE BEREICH	DUAL - LOWER ZONE	DUAL - ZONA INFERIORE
TEMPERATURE REGLABLE	RANGO DE TEMPERATURA INTERIOR	TEMPERATURBEREICH	TEMPERATURE ADJUSTMENT	REGOLAZIONE TEMPERATURA
VERSION A TEMPERATURE UNIQUE	VERSION UNA TEMPERATURA	MONO - TEMPERATURBEREICH	MONO VERSION	MONOTEMPERATURA
DUAL - ZONA SUPÉRIEURE	DUAL - ZONA SUPERIOR	DUAL - OBERE ZONE	DUAL - UPPER ZONE	DUAL - ZONA SUPERIORE
DUAL - ZONA INFÉRIEURE	DUAL - ZONA INFERIOR	DUAL - UNTERE ZONE	DUAL - LOWER ZONE	DUAL - ZONA INFERIORE
TEMPERATURE D'AMBIENCE	TEMPERATURA AMBIENTE	UMGEBUNGSTEMPERATUR	AMBIENT TEMPERATURE	TEMPERATURA AMBIENTE
DESCRIPTION DE L'APPAREIL	DESCRIPCIÓN DE LA MÁQUINA	GERÄTEBESCHREIBUNG	APPLIANCE DESCRIPTION	DESCRIZIONE MACCHINA
RÉFRIGÉRATION STATIQUE	REFRIGERACIÓN ESTÁTICA	STATISCHE KÜHLUNG	STATIC COOLING SYSTEM	REFRIGERAZIONE STATICA
RÉFRIGÉRATION VENTILEE	REFRIGERACIÓN VENTILADA	UMLUFTKÜHLUNG	FAN COOLING SYSTEM	REFRIGERAZIONE VENTILATA
VENTILATION INTÉRNE	VENTILACIÓN INTERNA	STATISCHE KÜHLUNG MIT VENTILATION	INTERNAL FAN	VENTILAZIONE INTERNA
PROGRAMME CHAUFFAGE	PROGRAMA DE CALEFACCIÓN	HEIZUNG	HEATING PROGRAM	PROGRAMMA RISCALDAMENTO
DÉGIVRAGE AUTOMATIQUE	DESESCARCHE AUTOMÁTICO	AUTOMATISCHE ABTAUUNG	AUTOMATIC DEFROST	SBRINAMENTO AUTOMATICO
SERRURE	CERRADURA	SCHLOSS	LOCK	SERRATURA
ÉCLAIRAGE INTERNE	LUZ INTERNA	INNENBELEUCHTUNG	INTERNAL LIGHT	LUCE INTERNA
CLAYETTES RÉGLABLES	ESTANTES REGULABLES	REGALE HÖHENVERSTELLBAR	ADJUSTABLES SHELVES	RIPIANI REGOLABILI
NO. COMPRESSEURS	Nº COMPRESORES	ANZALHL KOMPRESSOREN	NO. OF COMPRESSORS	NO. COMPRESSORI
ABSORPTION MAXIMALE	CONSUMO MAXIMO	MAX. ENTNAHME	POWER IMPUT	MASSIMO ASSORBIMENTO
HUMIDITÉ INTERNE	RANGO DE HUMEDAD	LUFTFEUCHTIGKEIT	RANGE OF HUMIDITY	UMIDITÀ INTERNA
EQUIPEMENT STANDARD	ESTANTES ESTÁNDAR	STANDARDAUSSTATTUNG	STANDARD SET UP	ALLESTIMENTO STANDARD
CLAYETTES DE STOCKAGE	ESTANTES DE ALMACENAMIENTO	ABLAGEFLACHEN	STOCK SHELVES	RIPIANI STOCCAGGIO
CLAYETTES COULISSANTES	ESTANTES DESLIZABLES	GLEITFACHEN	SLIDING SHELVES	RIPIANI SCORREVOLI
CLAYETTES INTERMEDIARES	ESTANTES INTERMEDIOS	ZWISHENFLACHEN	MIDDLE SHELVES	RIPIANI INTERMEDI
PORTES	PUERTAS	TÜREN	DOOR	TIPOLOGIA PORTE
PORTE EN MÉTAL	PUERTA METALICA	METALLTUR	ENAMELLED DOOR	PORTA METALLO
PORTE A DOUBLE VITRAGE	PUERTA DE DOBLE CRISTAL	TÜR MIT ISOLIERVERGLASUNG	DOUBLE GLASS DOOR	PORTA DOPPIO VETRO
PORTES DE VITRAGE COULISSANTES	PUERTA CRISTAL DESLIZANTE	SCHIEBETÜREN	SLIDING GLASS DOORS	PORTE VETRO SCORREVOLI
VITRE ANTI - RAYONS UV	CRISTAL CON FILTRO ANTI UV	UV SCHUTZVERGLASUNG	UV REFLECTION GLASS	VETRO ANTI RAGGI UV
PORTE REVERSIBLE	PUERTA REVERSIBLE	TÜRANSCHLAG WECHSELBAR	REVERSIBLE DOOR	PORTA REVERSIBILE
DIMENSION DU PRODUIT	DIMENSIONES	ABMESSUNGEN	PRODUCT SIZE	DIMENSIONI PRODOTTO
HAUTEUR (mm)	ALTURA (mm)	HÖHE (mm)	HEIGHT (mm)	ALTEZZA (mm)
LARGEUR (mm)	ANCHO (mm)	BREITE (mm)	WIDTH (mm)	LARGHEZZA (mm)
PROFONDEUR (mm)	FONDO (mm)	TIEFE (mm)	DEPTH (mm)	PROFONDITÀ (mm)
POIDS NET (Kg)	PESO NETO (Kg)	NETTO GEWICHT (Kg)	NET WEIGHT (Kg)	PESO NETTO (Kg)
COULEUR DISPONIBLE	COLORES DISPONIBLES	SERIENFARBEN	AVAILABLE COLORS	COLORI DISPONIBILI
CF - NOIRE	CF - NEGRO	CF - SCHWARZ	CF - BLACK	CF - NERO
W - VINAIGRE	W - BURDEOS	W - WEINROT	W - WINE RED	W - VINACCIA
X - ACIER INOX	X - ACERO INOX	X - EDELSTAHLVERKLEIDUNG	X - STAINLESS STEEL	X - INOX

C 150	C 300	C 400	C 500	C 600	C 151	C 151 D	C 301	C 301 D	C 401	C 401 D	C 402	C 501	C 501 D	C 601	C 2501
•	•	•	•	•/•	•		•		•		•/•	•		•/•	•/•
	•	•	•	Optional			•		•			•		Optional	Optional
•	•	•	•			•		•		•			•		
56	98	116	138	(134)	56	(50)	98	(98)	116	(110)	(112)	138	(136)	(134)	(276)
				78		12		50		62	56		68	78	138 SX
				56		38		48		48	56		68	56	138 DX
4 / 18° C	4/18°C	4/18°C	4/18°C		4/18°C		4/18°C		4/18°C			4/18°C			6/18°C
				4/18°C		10/18°C		10/18°C		10/18°C	4/18°C		10/18°C	4/18°C	6/18°C DX
				4/18°C		4/10°C		4/10°C		4/10°C	4/18°C		4/10°C	4/18°C	6/18°C SX
0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C	0 / 36°C
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1	1	1	1	1	1	2	1	2	1	2	2	1	2	1	2
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1	1	1	1	2	1	1	1	1	1	1	2	1	1	2	2
155 W	180 W	240 W	240 W	480 W	155 W	155 W	180 W	180 W	240 W	240 W	310 W	240 W	240 W	480 W	480 W
60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%	60/70%
1	3	3	4	3	1	2	3	3	3	4	2	4	5	3	8
1	1	1		1	1		1		1		2			1	
2	3	4	5	5	2	2	3	3	4	3	4	5	3	5	10
1	1	1	1	2											
					1	1	1	1	1	1	2	1	1	2	
															2
					•	•	•	•	•	•	•	•	•	•	•
850	1400	1600	1870	1870	850	850	1400	1400	1600	1600	1600	1870	1870	1870	1870
600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	1220
610	610	610	610	610	610	610	610	610	610	610	610	610	610	610	620
45	64	67	90	97	55	55	75	75	78	78	86	90	90	100	190
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
					•	•	•	•				•	•	•	•